

CSS Block: Mini Interactive Page




Table of Contents

Overview	3
Component Breakdown	3
CSS Specifications Map	3
CSS Specifications Breakdown	4
Examples (1)	5



[Link to CSS Help Article](#)

Overview

Interactive page types help break down information into smaller pieces, which are then strategically positioned on a single image so that learners can click on multiple hotspots of an image to reveal small clips of text, and image, or audio clip.

Component Breakdown

1. Content Container
2. Image
3. Hotspot
4. Hotspot Text Box (When Clicked)
 - a. Image, If added
 - b. Text If added
 - c. Close Button

CSS Specifications Map

The CSS Specification Map outlines the hierarchy of the CSS used. Understanding this hierarchy and using it will allow for safer CSS targeting. We always recommend adding your own class to a widget if possible. Every line should then start with this unique class. This will prevent you from targeting other areas of the platform that share classes.

Note: Not all CSS classes are listed and other CSS classes can be targeted. This is a list of CSS classes for the widget but some classes are shared in other widgets, course pages and admin coding.


- .topic__container
 - .topic__image
 - .topic__image-asset
 - .image-tag
 - .image-tag__popup
 - .btn--close
 - .icon-delete
 - .popup__media
 - .popup__copy

CSS Specifications Breakdown

CSS CLASS	WHAT IT DOES	EXAMPLE	CSS EXPLAINER & NOTES
.topic__container	Content Container		Can be used as a parent if needed
.topic__image	Interactive Page Image Container		Used as a parent
.topic__image-asset	Interactive Page Image		Can be used as a parent if needed
.image-tag	Icon Button	.topic__image .btn--image-tag i:hover { transform: scale(1.5); transition:0.5s;}	Adds a hover effect to scale the icon on mouse hover
.image-tag__popup	Pop-up Box Container	.image-tag__popup { border: 4px solid #5D3FD3; border- radius: 9px}	Changes the border color of the pop-up
.btn--close	Close Pop-up Button	.image-tag__popup .btn--close { border-radius: 0 9px 9px 0;}	Changes the border color of the pop-up close button
.icon-delete	Close Pop-up Button Icon		
.popup__media	Pop-up Image	.image-tag__popup .popup__media img { border: 2px solid #5D3FD3; border- radius: 9px; padding:5px;}	Changes the border color of the pop-up image
.popup__copy	Pop-up Text		The Text box is a Text editor and formatting can be done without CSS


Examples

Default



Examples continued on next page ↓

Example 1



Code for Example 1

```
.topic__image .btn--image-tag i {background: #5D3FD3; color:#fff; border: 4px solid #fff; border-radius: 18px;
box-shadow: 0px 0px 5px 4px #5D3FD3;}

.topic__image .btn--image-tag i:hover { transform: scale(1.5); transition:0.5s;}

.image-tag__popup { border: 4px solid #5D3FD3; border-radius: 9px}

.image-tag__popup .btn--close { border-radius: 0 9px 9px 0;}

.image-tag__popup .popup__media img { border: 2px solid #5D3FD3; border-radius: 9px; padding:5px;}

.image-tag__popup--bottom:before {display:none;}
```